

feweroilchanges cleanerengines puradyn

puraDYN® Bypass Oil Filtration

Continuously cleans engine oil, transmission fluid, or hydraulic fluid, safely extending oil life and equipment life

Installed on thousands of engines globally by industry leaders in oil and gas exploration, trucking, mining, and commercial marine

Why is puradyn filtration better?

- ✓ Removes solid contaminants even smaller than 1 micron
- Removes liquid contaminants and water with Polydry polymer technology
- Replenishes base additives to maintain the oil's chemical balance

What impact does this have?

- ✓ Engines run cleaner and greener
 - Engine life can be extended from 25% to over 100%
 - Top end overhauls may no longer be necessary
- √ Up to 90% reduction in oil changes:
 - Up to 90% less oil purchased/stored
 - Reduced cost and environmental risk of waste oil storage and disposal





saveOIL. **save**TIME. **save**MONEY.

puraDYN users report extending oil change intervals by 4-10x

- Instead of changing the oil at the OEM suggested interval, an oil sample is taken for analysis, and the puraDYN filter element is replaced
- If analysis confirms oil is up to spec, there is no need to change the oil


"Installing puraDYN systems on our entire fleet is one of the most beneficial cost vs reward decisions I have made in my career to date.

We are not only saving money on oil by safely reducing oil changes, but more importantly, we now avoid losing 1-2 days per month of downtime to complete an oil change."

Monte Madsen, Sr. VP | Legend Energy Services

| Example: Cummins QSK50 | Before puraDYN | With puradyn |
|---|----------------|--------------|
| Oil Change Interval | 400 hours | 2,800 hours |
| Oil change costs / 3 yrs (12,000 hours) | \$31,050 | \$5,175 |
| Oil change savings / 3 years | | \$25,875 |
| Cost of puraDYN System / 3 yrs | | \$6,900 |
| ROI from using puraDYN | | 3.7x |

Cumulative Cost of Oil Changes Over 12,000 hours




Engine Hours



multiple BENEFITS. multiple SIZES.

Working much the same way as kidney dialysis machine, the puraDYN° system diverts a small amount of engine oil at a slow rate of flow.

Leveraging our patented solution, the filter continuously cleans the oil of solid and liquid impurities and replenishes key additives to maintain the oil's chemical balance and viscosity well within engine manufacturers' specifications.



| Model Number | М3 | M6 | M6W | M10 | M25 | M45 | M85* |
|-----------------------------|-----------|-----------|-----------|------------|------------|------------|------------|
| Old Model Number | MTS-8 | MTS-8X12 | MTS-12 | MTS-24 | MTS-40 | MTS-60 | MTS-240* |
| Maximum Engine Oil Capacity | 3 gallons | 6 gallons | 6 gallons | 10 gallons | 25 gallons | 45 gallons | 85 gallons |
| | 11 liters | 23 liters | 23 liters | 38 liters | 95 liters | 170 liters | 322 liters |
| Height | 8 in | 11 in | 8 in | 11 in | 13 in | 17 in | 29 in |
| | 20 cm | 28 cm | 20 cm | 28 cm | 33 cm | 43 cm | 75 cm |
| Width | 7 in | 7 in | 9 in | 9 in | 10 in | 10 in | 10 in |
| | 18 cm | 18 cm | 24 cm | 24 cm | 25 cm | 25 cm | 25 cm |
| Depth | 7 in | 7 in | 9 in | 9 in | 11 in | 11 in | 12 in |
| | 17 cm | 17 cm | 22 cm | 22 cm | 27 cm | 27 cm | 30 cm |
| Weight | 8 lbs | 11 lbs | 13 lbs | 18 lbs | 25 lbs | 32 lbs | 44 lbs |
| | 4 kg | 5 kg | 6 kg | 8 kg | 11 kg | 15 kg | 20 kg |

^{*} Available in multiple configurations to effective filter large sump capacity engines.

Severe applications and operating environments may require model size adjustment from that shown on the standard sizing chart above. Please contact your local distributor or Puradyn directly if you have any questions about the correct size system for your application or environment.

Puradyn Filter Technologies Incorporated is the exclusive worldwide manufacturer of the puraDYN* Oil Filtration System. Protected by one or more of the following U.S. and international patents: 8,002,973; 8,529,755; 8,573,407; 8,894,847; 8,894,851; 9,341,309; 10,132,445; EP 3323486, and patents pending.



provenRESULTS. satisfactionGUARANTEED.

- Manufactured in the U.S. for 30+ years
- Will Not Void Manufacturer's Warranty
- Six-Month Money Back Guarantee
- Five-Year Unlimited Miles/Hours Warranty on Unit
- Insured Up to \$5M Liability Per Occurrence

"Nabors' use of puraDYN filtration systems to continuously clean engine oil has reduced our need for oil changes by over 80% and eliminated the need for most mid-cycle, top end engine overhauls."

Siggi Meissner, President, Global Drilling & Engineering | Nabors Industries

Some of our most popular products for the pressure pumping industry:

| APPLICATION | Түре | Puradyn Part # |
|--------------|-------------------------|---|
| Engine | Cummins QSK50 | 01-A1M85X-C (prev. 01-70002MTS-DL4) |
| Engine | Caterpillar 3512 | 01-A1M85X-K7 (prev. 01-71002MTS-DL6) |
| Engine | MTU 4000 | 01-A1M85X-M (prev. 01-70002MTS-DL6) |
| Transmission | Allison 9800 | 01-A1M25N-AT (prev. 01-70401MTS-DLT) |
| Transmission | Twin Disc 8500 | 01-A1M25N-TD (prev. 01-71401MTS-DLT) |
| Transmission | Caterpillar TH55 Series | 01-A1M25N-K3 (prev. 01-72401MTS-DLT) |

#wefightDIRTY